	MATERIAL SAFETY DATA SHEET		MSDS002	
	- MSDS -		Version	02
	POLYIMIDE		Date	07/02/11
	TRACK-ETCHED MEMBRANE		Page	1/5

SECTION 1 : PRODUCT AND COMPANY INFORMATION

Trade name : it4ip™ polyimide track-etched membrane

Chemical name : porous polyimide track-etched membrane

Other trade names & synonyms : ipPORE™, ipBLACK™, ipCLEAR™, ipCELLCULTURE™ and CRYSTAL CLEAR™ track-etched membrane

Manufacturer / Distributor : it4ip s.a., rue Jules Bordet (Z.I. C – Activalis)
7180 Seneffe (Belgium)
phone +32 (0)64 371001
contact@it4ip.be

SECTION 2 : COMPOSITION / INFORMATION ON INGREDIENTS

CAS No.	Chemical name	% weight	EINECS*	Symbol	R
-	polyimide	100	unlisted	none	none

*EINECS – ELINCS

Exposure limits for the following may apply :


DIMETHYL ACETAMIDE (residual in film)	CAS # 127-19-5	< 1%
POLYIMIDE POLYMER (as nuisance dust)	CAS# 25038-81-7	

SECTION 3 : HAZARD IDENTIFICATION / EMERGENCY OVERVIEW

Appearance :	White or orange porous film.
Contact with eyes :	Not a probable route of exposure for film.
Ingestion :	Not a probable route of exposure for film.
Inhalation (short term) :	Not a probable route of exposure for film.
Inhalation (long term) :	Not a probable route of exposure for film.
Skin contact :	No irritation is expected from handling film.

SECTION 4 : FIRST AID MEASURES

Contact with eyes :	Eye injury could result from physical impact. Get medical attention immediately.
Ingestion :	Not a probable route of exposure for film.
Inhalation :	Not a probable route of exposure for film.
Skin contact :	Wash exposed skin thoroughly with soap or mild detergent and water. If irritation persists or develops, seek medical attention.

	MATERIAL SAFETY DATA SHEET		MSDS002	
	- MSDS -		Version	02
	POLYIMIDE		Date	07/02/11
	TRACK-ETCHED MEMBRANE		Page	2/5

SECTION 5 : FIRE FIGHTING MEASURES


Flammable properties	Not a fire or explosion hazard; the flammability of polyimide film is reported as self-extinguishing.
Suitable extinguishing media :	Water-spray, water-fog, water-stream, CO2, dry-chemical, foam.
Unsuitable extinguishing media :	None found.
Special protective equipment for firefighters :	As in any fire, wear a self-contained breathing apparatus in pressure-demand mode and full protective gear. During a fire, irritating and highly toxic gases and fumes may be generated by thermal decomposition and combustion.
Special exposure hazards :	Polyimide chars but does not burn in air. Polyimide film will burn in an atmosphere of 100% oxygen. The major off-gases are carbon dioxide and carbon monoxide.
The processing of polyimide film can cause the generation of static charge. Precautions for static charges should also be taken when removing plastic films used as protective packaging.	

SECTION 6 : ACCIDENTAL RELEASE

Personal precautions :	Personal precautions will be determined by the nature of the fluids being processed, if other than water.
Small spills :	Collect material into suitable, covered container for disposal. Unused membranes may be disposed as ordinary trash.
Large spills :	Collect material into suitable, covered container for disposal. Unused membranes may be disposed as ordinary trash.
Environmental precautions :	The materials of construction do not pose an environmental hazard.
Clean up measures :	The consolidated nature of the product allows spilled product to be manually collected and placed in a container for proper disposal.

SECTION 7 : HANDLING AND STORAGE

Handling :	Handle with care to maintain the integrity and cleanliness of the filter unit.
Storage :	Store membranes in cool, dry location, away from excess moisture and flammable materials.

	MATERIAL SAFETY DATA SHEET		MSDS002	
	- MSDS -		Version	02
	POLYIMIDE		Date	07/02/11
	TRACK-ETCHED MEMBRANE		Page	3/5

SECTION 8 : EXPOSURE CONTROL AND PERSONAL PROTECTION

	Normal handling conditions :	Emergency response conditions :
Respiratory protection :	Typically, respirator use is not required. The nature of the fluids being processed may dictate the use of respiratory protection.	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Ventilation :	Membrane is a non-volatile solid and general ventilation is adequate. Processing which heats the material may require exhaust ventilation to keep the concentration of decomposition products below applicable exposure limits.	General ventilation is adequate for most applications.
Eye protection :	Safety glasses with side shields are adequate for normal use of this product	Safety glasses with side shields are adequate for normal use of this product
Skin protection :	Wear appropriate protective gloves to prevent skin exposure.	Wear appropriate protective gloves to prevent skin exposure.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES


Appearance :	White or orange porous solid
Odor :	Odorless
Odor threshold :	Not available
pH :	Not applicable
Melting point :	None
Boiling point :	None
Solubility :	Insoluble
Specific gravity (Water = 1.0) :	➤ 1.4

SECTION 10 : STABILITY AND REACTIVITY

Chemical stability :	Stable at normal temperatures and pressure.
Incompatible with :	None reasonably foreseeable.
Hazardous decomposition products :	At temperature above 400°C, the major off-gases are carbon monoxide and carbon dioxide.

SECTION 11 : TOXICOLOGICAL INFORMATION

Inhalation :	This product does not pose an inhalation health hazard.
Ingestion :	This product does not pose an ingestion health hazard.
Skin Contact :	This product does not pose a skin health hazard.
Eye Contact :	This product does not pose an eye injury hazard.

	MATERIAL SAFETY DATA SHEET - MSDS - POLYIMIDE TRACK-ETCHED MEMBRANE	MSDS002	
		Version	02
		Date	07/02/11
		Page	4/5

SECTION 12 : ECOLOGICAL INFORMATION

Polyimide is insoluble.

SECTION 13 : DISPOSAL INFORMATION

Waste disposal : landfill or incinerate in compliance with federal, state and local regulations.

SECTION 14 : TRANSPORTATION INFORMATION

Polyimide is not currently regulated as a hazardous material or dangerous goods by USDOT, ICAO/IATA, ADR or IMO regulations.


SECTION 15 : REGULATORY INFORMATION

Australia :	Hazchem code : not available Poisons schedule number : not available
California :	No significant risk level : none of the chemicals in this product are listed.
Canada WHMIS :	This product has a WHMIS classification of not controlled.
European Union Symbols :	Not available Category of danger : not available Risk phrases : not available Safety phrases : not available OECD/High production volume (HPV) chemicals : not available WEEE : not available RoHS : not available

SECTION 16 : ADDITIONAL INFORMATION

Abbreviations used :

ACGIH	American Conference of Government Industrial Hygienists
ADR	European agreement on the international carriage of dangerous goods on road
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	United States Environmental Protection Agency
IARC	International Agency for Research in Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	Regulations regarding the transportation of dangerous goods on ocean-going vessels issued by the International Maritime Organization
LC50	Lethal Concentration 50% is the concentration of a chemical which kills 50% of a sample population
LD50	Lethal Dose 50% is the dose of a chemical which kills 50% of a sample population.
LDLo	Lowest observed lethal dose
MSFU	Manufacture, Formulation, Supply and Use (Section 13)
NIOSH	National Institute of Occupational Safety and Health (US)

	MATERIAL SAFETY DATA SHEET - MSDS - POLYIMIDE TRACK-ETCHED MEMBRANE	MSDS002	
		Version	02
		Date	07/02/11
		Page	5/5

- NTP** National Toxicology Program (US)
OSHA United States Occupational Safety and Health Administration RID International regulations concerning the international carriage of dangerous goods by rail
RTECS Registry of Toxic Effects of Chemical Substances (US)
WHMIS Workplace Hazardous Materials Information System (Canada)

This safety data sheet has been prepared to comply with the requirements of European Union Directive 2001/58/EC and ANSI Z400.1-1998.

it4ip is a registered trademark of UCL (Université catholique de Louvain, Belgium)